

THE CLAIMS

- 1 1. (currently amended) A golf club head, comprising:
2 a face member having a striking face and a rear surface opposite said striking face, said
3 rear surface having a first perimeter profile;
4 a dampening member coupled to said rear surface and having a perimeter profile that is
5 substantially the same as said face member perimeter profile; and
6 a body member coupled to said dampening member;
7 wherein said dampening member has a thickness from approximately 0.02 inch to
8 approximately 1 inch;
9 wherein said dampening member includes one or more of rubber, urethane, polyurethane,
10 butadiene, polybutadiene, and silicone; and
11 wherein said face member is substantially isolated from said body member by said
12 dampening member.
- 1 2. (original) The golf club head of claim 1, wherein said face member is formed of
2 aluminum or an aluminum alloy, and said body member is formed of steel.
- 1 3. (original) The golf club head of claim 1, wherein said body member includes a hosel for
2 attaching a shaft to the club head.
- 1 4. (original) The golf club head of claim 1, wherein said dampening member is coupled to
2 substantially all of said rear surface.
- 1 5. (original) The golf club head of claim 4, further including mechanical fasteners coupling
2 said face member, said dampening member, and said body member.

1 6. (currently amended) The golf club head of claim [[4]] 1, wherein said face member is
2 ~~substantially~~ completely isolated from said body member by said dampening member.

1 7. (original) The golf club head of claim 6, wherein said face member is completely
2 isolated from said body member by said dampening member.

1 8. (currently amended) The golf club head of claim 1, wherein said dampening member is
2 coupled to said face member and said body member by an adhesive that couples said face
3 ~~member and said body member.~~

1 9. (canceled)

1 10. (previously presented) The golf club head of claim 1, wherein said thickness is from
2 approximately 0.03 inch to approximately 0.08 inch.

1 11. (original) The golf club head of claim 1, wherein the face member has a thickness from
2 approximately 0.05 inch to approximately 0.25 inch.

1 12. (original) The golf club head of claim 11, wherein said thickness is from approximately
2 0.1 inch to approximately 0.2 inch.

1 13. (original) The golf club head of claim 1, wherein the golf club head is a putter head.

1 14-18. (canceled)

1 19. (previously presented) The golf club head of claim 1, wherein said dampening member
2 has a uniform thickness.

1 20. (previously presented) The golf club head of claim 1, wherein said face member is in
2 partial contact with said body member.

1 21. (new) The golf club head of claim 1, wherein said dampening member is a different
2 color than

1 22. (new) A golf club head, comprising:
2 a face member having a striking face and a rear surface opposite said striking face, said
3 rear surface having a first perimeter profile;
4 a dampening member coupled to said rear surface and having a perimeter profile that is
5 substantially the same as said face member perimeter profile; and
6 a body member coupled to said dampening member;
7 wherein said dampening member is comprised of different materials in toe, center, and
8 heel portions thereof.

1 23. (new) The golf club head of claim 22, wherein said dampening member has a thickness
2 from approximately 0.02 inch to approximately 1 inch.

1 24. (new) The golf club head of claim 22, wherein said dampening member includes one or
2 more of rubber, urethane, polyurethane, butadiene, polybutadiene, and silicone.

1 25. (new) The golf club head of claim 22, wherein said face member, said dampening
2 member, and said body member are coupled such that each component is visible to the user at
3 the address position.